



THIS DOCUMENT IS THE PROPERTY OF RION TECHNOLOGY(SHENZHEN) LTD.(HEREAFTER"RION"),IT IS LENT AND IS TO BE RETURNED UPON REQUEST,THE CONTENTS OF THIS DOCUMENT ARE CONFIDENTIAL AND CONSTITUTE TRADE SECRETS PROPRIETARY TO RION,THIS DOCUMENT NOR ITS CONTENTS DOCUMENT NOR ITS CONTENTS SHALL BE DISCLOSED TO ANY UNAUTHORIAED PERSON COPIED OR PUBLISHED WITHOUT RION PRIOR WRITTEN CONSENT.  
COPY RIGHT@2023 RION TECHNOLOGY



### Rotary joint technical parameters

2 Channel	Tracheal joint G1/8 "
Pressure	Air pressure 25 Mpa
Torsion	$T \leq 6$ N.M
Medium type	hydraulic oil
Maximum speed	0-150 RPM
Temperature	$-40^\circ \text{C} \sim +80^\circ \text{C}$
Material	304

UNLESS OTHERWISE SPECIFIED		TOLERANCES (EXCEPT AS NOTED)		2 channel hydraulic oil	
1.ALL DIMENSIONS ARE IN MM HES BREAK SHARP EDGES & DEBURR		MODEL		RGP21-VD	
2.MATERIAL&FINISH TO BE AS NOTED OR SUBSTITUTED WITH AN APPROVED AND TESTED EQUIVALENT		DECIMAL X $\pm$ .1 XX $\pm$ .03 XXX $\pm$ .005			
FILLET R.015	FINISH $\checkmark$	FRACTIONAL $\pm 1/16$ ANGULAR $\pm 1^\circ$			
THIRD ANGLE PROJECTION		DWG.NO		SCALE	1:1
		FSD		UNIT	mm
		DATE		2022-11-09	